

TABLE OF CONTENTS

Minister's Message	i
Executive Summary	ii
1.0 Introduction	1
2.0 Watershed Report Card Framework	5
3.0 Development of Indicators	13
4.0 Trends in the Health of Saskatchewan's Watersheds	17
5.0 Relating Watershed Condition, Stressor and Response Ratings	27
6.0 Watershed Report Card	31
Contributors	39
Appendix A: Condition Indicators	
Appendix B: Stressor Indicators	
Appendix C: Response Indicators	
References and Personal Communications	
Glossary	
Figures	

LIST OF FIGURES

Figure 1.	The <i>Stress-Condition-Response</i> Model	ii
Figure 2.	Watershed stressor categories.	iii
Figure 3.	Health of watersheds based on condition indicators	iv
Figure 4.	Stress rating of watersheds based on stressor indicators.	v
Figure 5.	Stressor footprint	v
Figure 6.	Response rating by watershed	vi
Figure 7.	Saskatchewan’s three major drainage systems	2
Figure 8.	Saskatchewan Watershed Authority’s twenty-nine watersheds	2
Figure 9.	<i>Stress-Condition-Response</i> Model demonstrating the relationship between various watershed health components	6
Figure 10.	Indicator data availability and applicability by watershed	15
Figure 11.	Five-year average of Water Quality Index Values: 1999-2003	18
Figure 12.	Five-year average of Water Quality Index Values: 2004-2007	19
Figure 13.	Percentage of wells sampled between 1999 and 2003 that exceed at least one human influenced* Maximum Acceptable Concentration	19
Figure 14.	Percentage of wells sampled between 2004 and 2008 that exceed at least one human influenced* Maximum Acceptable Concentration	20
Figure 15.	Five-year average riparian health values: 1999-2003	21
Figure 16.	Five-year average riparian health values: 2004-2008	21
Figure 17.	Percent of permanent cover within a 40 metre buffer of a waterway or waterbody: 1993/1994.	22
Figure 18.	Percent of permanent cover within a 40 metre buffer of a waterway or waterbody: 2001.	22
Figure 19.	Five-year average range health values: 1999-2003	23
Figure 20.	Five-year average range health values: 2004-2008.	23
Figure 21.	Health of watersheds based on condition indicators: 1999-2003	24
Figure 22.	Health of watersheds based on condition indicators: 2004-2008	25
Figure 23.	<i>Stress-Condition-Response</i> Model demonstrating the relationship between various watershed health components	29
Figure 24.	Water quality sampling locations and associated Water Quality Index values calculated by sample location: 2003-2007.	Appendix A, p.3
Figure 25.	Five-year average of Water Quality Index values calculated by watershed: 2003-2007. . .	Appendix A, p.4
Figure 26.	Water quality sampling locations and associated Water Quality Index values calculated by sample location: 1993-2002.	Appendix A, p.5
Figure 27.	Ten-year average of Water Quality Index values calculated by watershed: 1993-2002 . . .	Appendix A, p.6
Figure 28.	Major aquifers in Saskatchewan	Appendix A, p.13
Figure 29.	Location of ground water wells sampled for water quality through the Rural Water Quality Advisory Program	Appendix A, p.17
Figure 30.	Percentage of wells that exceed at least one of the human influenced* Maximum Acceptable Concentrations according to Health Canada’s Drinking Water Quality Standards and Guidelines	Appendix A, p.18

Figure 31. Percentage of wells that exceed at least one of the geologically influenced* Maximum Acceptable Concentrations according to Health Canada’s Drinking Water Quality Standards and Guidelines Appendix A, p.19

Figure 32. Percentage of wells that exceed at least one Maximum Acceptable Concentration according to Health Canada’s Drinking Water Quality Standards and Guidelines Appendix A, p.20

Figure 33. Biotic condition evaluated by sample location in the time period 2006-2007 Appendix A, p.27

Figure 34. Biotic condition evaluated by watershed in the time period 2006-2007 Appendix A, p.28

Figure 35. Average lotic and lentic riparian assessment scores by watershed: 1996-2008 Appendix A, p.35

Figure 36. Average lotic riparian assessment scores by watershed: 1996-2008 Appendix A, p.36

Figure 37. Average lotic riparian assessment scores by watershed: 2006-2008 Appendix A, p.37

Figure 38. Average lotic riparian assessment scores by watershed: 1996-2005 Appendix A, p.38

Figure 39. Average lentic riparian assessment scores by watershed: 1996-2008. Appendix A, p.39

Figure 40. Average lentic riparian assessment scores by watershed: 2006-2008. Appendix A, p.40

Figure 41. Average lentic riparian assessment scores by watershed: 1996-2005. Appendix A, p.41

Figure 42. Percent of permanent cover within a 40 metre buffer of a waterway or waterbody: 2001 . . Appendix A, p.42

Figure 43. Percent of permanent cover within a 40 metre buffer of a waterway or waterbody: 1993-1994. Appendix A, p.43

Figure 44. Average native range condition and native and tame health scores by watershed: 2002-2008. Appendix A, p.49

Figure 45. Average native range condition and health scores by watershed: 2002-2008 Appendix A, p.50

Figure 46. Average native range condition and health scores by watershed: 2006-2008 Appendix A, p.51

Figure 47. Average native range condition and health scores by watershed: 2002-2005 Appendix A, p.52

Figure 48. Average tame rangeland health assessment scores by watershed: 2002-2008. Appendix A, p.53

Figure 49. Average tame rangeland health assessment scores by watershed: 2006-2008. Appendix A, p.54

Figure 50. Average tame rangeland health assessment scores by watershed: 2002-2005. Appendix A, p.55

Figure 51. Location of rangeland composition assessments Appendix A, p.56

Figure 52. Aquatic critical loads of acidity calculated using either the SSWC or SMB models: 2008. . . Appendix A, p.61

Figure 53. Aquatic Nitrogen-leaching critical load exceedances (eq/ha/yr) based on acid deposition estimated for 2002 using AURAMS Appendix A, p.62

Figure 54. Aquatic Steady-state critical load exceedances (eq/ha/yr) based on acid deposition estimated for 2002 using AURAMS Appendix A, p.63

Figure 55. Aquatic and/or terrestrial critical loads of acidity calculated using either the SSWC or SMB models: 2008 Appendix A, p.64

Figure 56. Aquatic and/or terrestrial Steady-state critical load exceedances (eq/ha/yr) based on acid deposition estimated for 2002 using AURAMS Appendix A, p.65

Figure 57. Depiction of a binary acidification health rating for Saskatchewan based on critical load of acidity exceedance (eq/ha/yr) estimated for 2002 using AURAMS. Appendix A, p.66

Figure 58. Aquatic and terrestrial exceedance (eq/ha/yr) of critical loads for acid deposition by watershed: 2008 Appendix A, p.67

Figure 59. Location of lakes in northern Saskatchewan sampled by the Saskatchewan Ministry of Environment and Environment Canada	Appendix A, p.71
Figure 60. Estimate of percent permanent cover by watershed: 2001.	Appendix A, p.73
Figure 61. Estimate of percent permanent cover by watershed: 1994.	Appendix A, p.74
Figure 62. Number of species at risk with breeding ranges that overlap the watershed boundary. .	Appendix A, p.77
Figure 63. Average annual recorded flow volume as a percentage of natural flow volume	Appendix B, p.2
Figure 64. Surface water allocation ratio by watershed	Appendix B, p.5
Figure 65. Density of ground water wells by watershed: 2009.	Appendix B, p.8
Figure 66. Ground water allocation per square kilometre, by watershed: 2009.	Appendix B, p.9
Figure 67. Ground water allocation per square kilometre, by watershed: 2007.	Appendix B, p.10
Figure 68. Human population size by watershed for both 2001 and 2006.	Appendix B, p.14
Figure 69. Numerical change in the human population by watershed: 2001-2006	Appendix B, p.15
Figure 70. Population density by watershed for both 2001 and 2006.	Appendix B, p.16
Figure 71. Density of all roads by watershed	Appendix B, p.20
Figure 72. Density of highways by watershed.	Appendix B, p.21
Figure 73. Density of rural roads by watershed.	Appendix B, p.22
Figure 74. Density of other roads, including grid roads, by watershed	Appendix B, p.23
Figure 75. Aquatic fragmentation in the watersheds of Saskatchewan	Appendix B, p.26
Figure 76. Median runoff from impervious areas as a percent of annual flow: (1998-2002) and (2003-2007)	Appendix B, p.30
Figure 77. Estimated percentage of recorded flow that can be attributed to wastewater effluent discharge.	Appendix B, p.34
Figure 78. Potential environmental stress of landfills in Saskatchewan	Appendix B, p.38
Figure 79. Density of landfills by watershed: 2009	Appendix B, p.39
Figure 80. Density of landfills by watershed: 2006	Appendix B, p.40
Figure 81. Density of environmental impact assessments and screenings by watershed: 2003-2007 . .	Appendix B, p.46
Figure 82. Density of environmental impact assessments and screenings by watershed: 1998-2002 . .	Appendix B, p.47
Figure 83. Risk of invasive species by watershed	Appendix B, p.50
Figure 84. Livestock density by watershed: 2006	Appendix B, p.56
Figure 85. Livestock density by watershed: 2001	Appendix B, p.57
Figure 86. Relative risk of livestock operations within 300 metres of a streamcourse: 2006	Appendix B, p.58
Figure 87. Relative risk of livestock operations within 300 metres of a streamcourse: 2001	Appendix B, p.59
Figure 88. Water erosion risk of annually cultivated soils at a soil landscape basis, with the watershed boundary overlay.	Appendix B, p.63
Figure 89. Water erosion intensity of annually cultivated soils by watershed: 2001	Appendix B, p.64
Figure 90. Wind erosion risk of annually cultivated soils at a soil landscape basis, with the watershed boundary overlay.	Appendix B, p.65

Figure 91. Wind erosion intensity of annually cultivated soils by watershed: 2001	Appendix B, p.66
Figure 92. Tillage erosion risk of annually cultivated soils at a soil landscape basis, with the watershed boundary overlay.	Appendix B, p.67
Figure 93. Tillage erosion intensity of annually cultivated soils by watershed: 2001	Appendix B, p.68
Figure 94. Nitrogen application rate from commercial fertilizer applied per watershed: 2006	Appendix B, p.73
Figure 95. Nitrogen application rate from commercial fertilizer applied per watershed: 2001	Appendix B, p.74
Figure 96. Phosphorus application rate from commercial fertilizer applied per watershed: 2006 . .	Appendix B, p.75
Figure 97. Phosphorus application rate from commercial fertilizer applied per watershed: 2001 . .	Appendix B, p.76
Figure 98. Pesticide use by watershed: 2006	Appendix B, p.81
Figure 99. Pesticide use by watershed: 2001	Appendix B, p.82
Figure 100. Density of pesticide licenses: 2008	Appendix B, p.83
Figure 101. Estimated total livestock manure production by watershed: 2006	Appendix B, p.88
Figure 102. Estimated total livestock manure production by watershed: 2001	Appendix B, p.89
Figure 103. Estimated nitrogen production in livestock manure by watershed: 2006	Appendix B, p.90
Figure 104. Estimated nitrogen production in livestock manure by watershed: 2001	Appendix B, p.91
Figure 105. Estimated phosphorus production in livestock manure by watershed: 2006	Appendix B, p.92
Figure 106. Estimated phosphorus production in livestock manure by watershed: 2001	Appendix B, p.93
Figure 107. Estimated gross percent of wetland area loss by watershed: 1985-2001	Appendix B, p.98
Figure 108. Interpolated estimate of cumulative wetland area loss by watershed: 1985-2001.	Appendix B, p.99
Figure 109. Average annual number of reported oil and gas spills per 1,000 km ² by watershed: 2004-2007	Appendix B, p.105
Figure 110. Average annual number of reported oil and gas spills per 1,000 km ² by watershed: 1993-2003	Appendix B, p.106
Figure 111. Average annual volume of reported oil and emulsion spills per square kilometre by watershed: 2004-2007	Appendix B, p.107
Figure 112. Average annual volume of reported oil and emulsion spills per square kilometre by watershed: 1993-2003	Appendix B, p.108
Figure 113. Average annual volume of reported saltwater spills per square kilometre by watershed: 2004-2007	Appendix B, p.109
Figure 114. Average annual volume of reported saltwater spills per square kilometre by watershed: 1993-2003	Appendix B, p.110
Figure 115. Density of active, inactive and abandoned mines	Appendix B, p.114
Figure 116. Environmental stress of active, inactive and abandoned mines	Appendix B, p.115
Figure 117. Saskatchewan commercial provincial forest areas.	Appendix B, p.120
Figure 118. Percent of forested area disturbed: 1994-2007	Appendix B, p.121
Figure 119. Percent of forested area disturbed: 1980-1993	Appendix B, p.122

Figure 120. Environmental risk of federal contaminated sites, as listed on the Federal Contaminated Sites Inventory	Appendix B, p.127
Figure 121. Density of industrial waste sites by watershed, as reported to the National Pollutant Release Inventory in 2007	Appendix B, p.131
Figure 122. Density of industrial waste sites by watershed, as reported to the National Pollutant Release Inventory in 2003	Appendix B, p.132
Figure 123. Tonnes of pollutants released and disposed of by watershed, as reported to the National Pollutant Release Inventory in 2007	Appendix B, p.133
Figure 124. Tonnes of pollutants released and disposed of by watershed, as reported to the National Pollutant Release Inventory in 2003	Appendix B, p.134
Figure 125. Water conservation efforts by watershed	Appendix C, p.2
Figure 126. Estimate of per capita daily water consumption (residential, business and municipal use) by watershed: 2007	Appendix C, p.3
Figure 127. Estimate of per capita daily water consumption (residential, business and municipal use) by watershed: 1997	Appendix C, p.4
Figure 128. Number of stewards by watershed	Appendix C, p.20
Figure 129. Number of hectares covered under conservation agreements by watershed	Appendix C, p.21
Figure 130. Conservation easement status by watershed: August 2006	Appendix C, p.22
Figure 131. Conservation stewards by watershed	Appendix C, p.23
Figure 132. Stewardship workshop activity by watershed	Appendix C, p.29
Figure 133. Locations of stewardship workshops/field days/town hall meetings delivered through the Prairie Stewardship Program between March 2001 and March 2009	Appendix C, p.31
Figure 134. Number of Provincial Council of Agriculture Development and Diversification Boards for Saskatchewan (PCAB) Environmental Farm Plan Workshops by watershed, between March 2005 and July 2009	Appendix C, p.32
Figure 135. Beneficial Management Practices that have been funded and/or adopted by watershed.	Appendix C, p.35
Figure 136. Number of Go Green funded programs that promote BMPs, by watershed, between March 2006 and September 30, 2009.	Appendix C, p.36
Figure 137. Number of adopted BMPs through the Prairie Stewardship Program, by watershed, between January 1, 2005 to December 31, 2008.	Appendix C, p.38
Figure 138. Number of adopted BMPs through the Canada-Saskatchewan Farm Stewardship Program, by watershed, between March 2005 and January 22, 2009	Appendix C, p.40
Figure 139. Watershed and land use planning initiatives in Saskatchewan	Appendix C, p.43
Figure 140. Watershed and land use planning initiatives in Saskatchewan by watershed	Appendix C, p.44
Figure 141. Spatial distribution of water quality monitoring stations	Appendix C, p.47
Figure 142. Water quality monitoring by watershed	Appendix C, p.48
Figure 143. Spatial distribution of hydrometric station locations by monitoring organization	Appendix C, p.53
Figure 144. Water quantity monitoring by watershed	Appendix C, p.54
Figure 145. Spatial distribution of the Observation Well Network	Appendix C, p.56
Figure 146. Percent of watershed with protected areas that are part of Saskatchewan's Representative Areas Network: 2006	Appendix C, p.59

LIST OF TABLES

Table 1.	Select criteria to assign watershed health grades to Condition, Stressor and Response indicators.	9
Table 2.	Relating Watershed Condition, Stressor and Response Ratings.	30
Table 3.	Watershed report card for condition indicators.	31
Table 4.	Watershed report card for stressor indicators.	32
Table 5.	Watershed report card for response indicators.	37
Table 6.	Water quality parameters used for calculating the Water Quality Index.	Appendix A, p.8
Table 7.	Water quality parameters used for calculating exceedances of Maximum Acceptable Concentrations according to Health Canada's Drinking Water Quality Standards and Guidelines (Health Canada 2008)	Appendix A, p.21
Table 8.	Number of extinct, extirpated, endangered, threatened and special concern species in Saskatchewan, as designated by the Committee on the Status of Endangered Wildlife in Canada (COSEWIC): May 2009	Appendix A, p.78
Table 9.	Environmental education events for Saskatchewan school-aged youth (4-18 years-old) and teacher/parent supervisors: July 2008 to May 2009	Appendix C, p.13
Table 10.	Professional development programs for educators in Saskatchewan: July 2008 to May 2009	Appendix C, p.13
Table 11.	Ducks Project Webfoot: September 1999 to June 2009	Appendix C, p.14
Table 12.	Prairie Conservation Action Plan Cows, Fish, Cattle Dogs and Kids Game Show: April 1999 to March 2009	Appendix C, p.15
Table 13.	Total participants in the Water Watchdog Program for Alberta, Saskatchewan and Manitoba: 2001-2008	Appendix C, p.16
Table 14.	Number of <i>Moopher's Amazing Journey to the Sea</i> games distributed in Saskatchewan: 2007-2008	Appendix C, p.16
Table 15.	Participants of the Saskatchewan Envirothon competition: 2007-2009	Appendix C, p.17
Table 16.	Number of voluntary stewards and land area covered by the voluntary stewardship agreements under the Prairie Stewardship Program	Appendix C, p.24
Table 17.	Ducks Unlimited Canada's project summary for Saskatchewan	Appendix C, p.25
Table 18.	Number of land use agreements signed under the Conservation Cover Program between 2001 and 2003.	Appendix C, p.25
Table 19.	Number of Prairie Stewardship Program field days/town hall meetings/workshops and attendance between April 2002 and March 2009.	Appendix C, p.30